Author index

ALBRO, P. W. 202
ANWAR, M. M. 200
BAJAJ, I. 261
BALLA, J. 312
BALLIO, A. 103
BEALL, J. R. 149
BELL, J. A. 317
BEVENUE, A. 110
BLATTLER, D. P. 286
BOLLETER, W. T. 173
BOULTON, A. A. 247
BUONOCORE, V. 103
CADWALLADER, D. E. 211
CARR, A. 293, 301
CHANDLER, C. D. 173
CHERNYAK, V. Y. 143
CIAMPA, G. 132
CLARKE, M. 320
COOK, S. E. 134
COOPER, B. S. 112
CULBERSON, C. F. 85
CVJETIĆANIN, D. 326
DALY, J. 187
DAVIES, B. H. 161
DOWNEY, W. K. 120
EBING, W. 180
EGOROV, A. M. 143
ERDEY, L. 29, 312
FAVRETTO, L. 255
FAVRETTO GABRIELLI, L. 255
FELGENHAUER, K. 116
FISHBEIN, L. 202
GARRAWAY, J. L. 134
GEHRKE, C. W. 280
GLENNER, G. G. 116
GONZALEZ DE VALESI, A. 274
GRAHAM, R. J. T. 187, 293, 301
GRIECO, C. 132
GUNTHER, F. A. 79, 108
HALMOS, Z. 312
HANSON, C. 200
HELFFERICH, F. 1
HOGNESTAD, A. K. 267
HOLM, R. A. 33
HONIGBERG, I. L. 211
IGLÓY, M. 207
ISHII, D. 241
JAGLAN, P. S. 79, 108
JAMES, A. T. 149
JAMES, D. B. 1
KANCHEVA, V. 94
KEOGH, M. K. 120
KOHLBECK, J. A. 173
KOREN, J. F. 129
KRISTINSSON, H. 85
KUNDU, M. K. 324
LANDMARK, L. H. 267
MARINO, G. 103
MARINO, V. S. 125
MASON, V. C. 317
MEISEL, T. 312
MELÖ, T. B. 129
MERCER, E. I. 161
MESROB, B. K. 94
MIZSEI, A. 207
MORI, S. 137
MURPHY, R. F. 120
NOTA, G. 103
OGATA, J. N. 110
PARIHAR, D. B. 261
PERTOLDI MARLETTA, G. 255
PHILLIPS, D. M. P. 320
POLLAK, V. 247
POVEY, N. 33
PRAKASH, O. 261
PRATT, M. W. T. 200
PRYDZ, S. 129, 267
RATKOVIĆ, S. 326
REDMAN, D. G. 107
REITHEL, F. J. 286
RODA, G. 315
RÓŻYLO, J. K. 204
SCHOMBURG, G. 329
ŚCISLOWICZ, A. 204
SILIPO, C. 132
SOUTO, J. 274
SZALÁNCZY, É. 29
TAKÁCS, J. 29
TAKEUCHI, T. 137
TOKORO, N. 241
TRIPATHI, K. K. 280
TSUDA, T. 241
ULLAH, I. 211
VAKHABOV, A. KH. 143
VERMA, K. K. 261
VERNIN, G. 48, 66
WAKSMUNDZKI, A. 204
WEIS, A. 116
WERTHESSEN, N. T. 149
ZAMORANI, A. 315

Subject index

Acetone, analysis of the products of hydroammonolysis of 312
Adsorption chromatography, linear, SNYDER's theory applied to heterocyclic compounds 48, 66
Agar and agarose gel, granulation of 143
Agarose, isolation of 143
Alkanoic acids, dibasic, and the three isomeric phthalic acids, GC separation of the dimethyl esters using a polyamide liquid phase 137
Alkaloids, porous glass as an adsorbent in TLC 125
Alkanes, separation on Sephadex LH-20 and its application to a rock extract 112
Alkyl gallates, separation as complexes with cinchonine and strychnine 261
Americium, separation by anion exchange 326
Amino acids, as trifluoroacetylated phenylthiohydantoins, GC analysis of 315
——, DNS-, liquid–solid separation with open glass capillary columns 103
——, rapid chromatographic method for the estimation of lysine 317
——, simplified buffer system for automated CC of 107
——, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides 267
Anthracene, enhanced photoemulsion sensitivity at low temperatures used in radiochromatography 129
Antibiotics, evaluation of solvents used in summarized chromatograms 274
Atranorin, a standardized method for the identification of lichen products 85
Band spreading in molecular-sieve chromatography 33
Barbiturates, porous glass as an adsorbent in TLC 125
Bromacil, determination by GC 110
Carbazoles, separation of sodium salts of sulphocarbazole acids by TLC 204
Carbohydrates, quantitative analysis of sorbose by TLC in the presence of some frequently occurring monosaccharides 207
Carrier gases, GC using the vapour of organic solvents as 241
K-Casein, chemical and chromatographic isolation of 280
Chloroanilines, GC separation from cresol and xylenol isomers 200
Chloroplasts pigments, separation on Sephadex LH-20 120
Chlorzoxazone, determination of degradation kinetics by TLC 211
Cinchonine, for separation of alkyl gallates as complexes 261
Cresols, GC separation from xylenol and chloroaniline isomers 200
Cystine, simplified buffer system for automated CC of amino acids including methionine sulphone 107
Deoxyribonucleohistone, behaviour of histones in exclusion chromatography and gel electrophoresis in relation to their molecular weights 320
Detectors, semiconductor photodetectors for quantitative assessment of thin media chromatograms 247
Ethylene glycol oligomers, determination of molecular weight by TLC and photometric evaluation 255
Fatty acids, microdetection of kusum oil 324
——, separation on Sephadex LH-20 120
Gallates, alkyl, separation as complexes with cinchonine and strychnine 261
Gas chromatography, of organophosphorus pesticides and their metabolites using teflon as support 108
——, programmed-temperature, theory of the retention index system 29
——, using the vapour of organic solvents as carrier gases 241
Glucosides, chromatography and detection of some β-D-glucosides 134
Herbicides, determination of bromacil by GC 110
Heterocyclic compounds, applications of SNYDER's theory on linear adsorption chromatography to 48, 66
Histones, behaviour in exclusion chromatography and gel electrophoresis in relation to their molecular weights 320
Hordein, and its fractions, analytical separation by disc electrophoresis on acrylamide gel 94
Hydrocarbons, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides 267
Indanols, substituted, studies on the relationship between molecular structure and chromatographic behaviour on layers of cellulose impregnated with simple amides 187
Inorganic ions, separation of neptunium, plutonium, americium and thorium by anion exchange 326
——, TLC on cellulose impregnated with thiocyanate salts of liquid ion exchangers 293, 301
Insecticides, influence of UV irradiation on the TLC of insecticidal phosphoric acid esters and on detection by the benzohydroxamic

acid reaction 180
Kusum oil, microdetection of 324
β-Lactoglobulin, molecular weight determinations and influence of gel density, protein charges, and protein shape in polyacrylamide gel electrophoresis 286
Lichens, products of, a standardized method for the identification of 85
Lipids, neutral, semi-automatic determination 149
——, unsaponifiable, use of a liquid spectro-radiochromatograph for the automated simultaneous separation, identification, purification, estimation and radioassay of the components of a mixture of 161
Lysine, rapid chromatographic method for the estimation of 317
Metal ions, separation of neptunium, plutonium, americium and thorium by anion exchange 326
——, TLC on cellulose impregnated with thiocyanate salts of liquid anion exchangers 293, 301
Methionine sulphone, simplifie buffer system for automated CC of amino acids including 107
Methyl paraoxon, and homologs, GC behaviour and chemical structure of 79
——, teflon as a superior support for GC of organophosphorus pesticides and their metabolites 108
Methyl parathion, and homologs, GC behaviour and chemical structure of 79
Molecular-sieve chromatography, band spreading in 33
Neptunium, separation by anion exchange 326
Norstictic acid, a standardized method for the identification of lichen products 85
Oligomers, ethylene glycol, determination of molecular weight by TLC and photometric evaluation 255
Organophosphorus pesticides, and metabolites, teflon as a superior support for GC of 108
——, GC behaviour and chemical structure of methyl parathion and methyl paraoxon in relation to their homologs 79
——, influence of the UV irradiation on the TLC of insecticidal phosphoric acid esters and on detection by the benzohydroxamic acid reaction 180
Paraoxon, and homologs, GC behaviour and chemical structure of 79
Parathion, and homologs, GC behaviour and chemical structure of 79
Pesticides, analysis of the products of hydroammonolysis of acetone 312
——, determination of bromacil by GC 110
——, influence of UV irradiation on the TLC of insecticidal phosphoric acid esters and on detection by the benzohydroxamic acid reaction 180
——, organophosphorus, GC behaviour and chemical structure of methyl parathion and methyl paraoxon in relation to their homologs 79
——, ——, teflon as a superior support for GC 108
Pharmaceuticals, determination of degradation kinetics of chlorzoxazone by TLC 211
Phenolic glucosides, chromatography and detection of some β-D-glucosides 134
Phenylthiohydantoins, trifluoroacetylated, GC analysis of amino acids as 315
Photodetectors, semiconductor, for quantitative assessment of thin media chromatograms 247
Phospholipids, separation on Sephadex LH-20 120
——, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides 267
Phosphoric acid esters, insecticidal, influence of UV irradiation on TLC separation and on detection by the benzohydroxamic acid reaction 180
Phthalic acids, isomeric, and dibasic alkanoic acids, GC separation of the dimethyl esters using a polyamide liquid phase 137
Plutonium, separation by anion exchange 326
Polyethylene glycol, determination of molecular weight of ethylene glycol oligomers by TLC and photometric evaluation 255
Poly(methylene-2-hydroxybenzoic acid), fractionation by preparative layer chromatography 132
Porous glass, as an adsorbent in TLC 125
Programmed-temperature chromatography, theory of retention index system using 29
Proteins, analytical separation of hordein and its fractions by disc electrophoresis on acrylamide gel 94
——, behaviour of histones in exclusion chromatography and gel electrophoresis in relation to their molecular weights 320
——, carbohydrate containing, demonstration in disc electrophoresis gels 116
——, chemical and chromatographic isolation of K-casein 280
——, molecular weight determination and the influence of gel density, protein charges, and protein shape in polyacrylamide gel electrophoresis 286
——, simplified buffer system for automated CC of amino acids including methionine sulphone 107
Radiochromatography, enhanced photo emulsion sensitivity at low temperatures used in 129
——, TLC separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides 267
Radionuclides, luminescence detection by TLC separation on layers heavily loaded with powdered scintillators 267
Rare earths, equilibrium theory for separation by displacement development 1
Retention index, theory using programmed-temperature gas chromatography 29
Sorbose, quantitative analysis by TLC in the

presence of some frequently occurring monosaccharides 207
SNYDER's theory of linear adsorption chromatography applied to heterocyclic compounds 48, 66
Steroids, porous glass as an adsorbent in TLC 125
Strychnine, for separation of alkyl gallates as complexes 261
Sugars, see Carbohydrates
Sulphocarbazole acids, separation of their sodium salts by TLC 204
Sulphur mustard and its analogues, GC of 202
Summarized chromatograms, evaluation of solvents used in 274
Teflon, as a superior support for GC of organophosphorus pesticides and their metabolites 108
Theory, band spreading in molecular-sieve chromatography 33
——, equilibrium, for rare-earth separation by displacement development 1
——, retention indices using programmed-temperature gas chromatography 29
——, semiconductor photodetectors and electrical noise in optical photodensitometric equipment for quantitative assessment of thin media chromatograms 247
——, SNYDER's, linear adsorption chromatography applied to heterocyclic compounds 48, 66
Thiazoles, influence of polar and steric effects of various substituents on the adsorption energy on alumina. Application of SNYDER's theory on linear adsorption chromatography to heterocyclic compounds 48, 66
Thin-layer chromatography, porous glass as an adsorbent in 125
——, separation on layers heavily loaded with powdered scintillators for luminescence detection of radionuclides 267
Thin media chromatograms, semiconductor photodetectors and electrical noise in optical photodensitometric equipment for quantitative assessment of 247
Thorium, separation by ion exchange 326
TNT, application of TLC for improving the continuous process 173
Trytophan, demonstration in disc electrophoresis gels 116
Tyrosine, demonstration in disc electrophoresis gels 116
Xylenols, GC separation from cresol and chloroaniline isomers 200

U·M·I

DUE TO TIGHT BINDING, SOME PAGES DID NOT PHOTOGRAPH WELL, RESULTING IN PRINT MISSING. THIS REPRODUCTION IS MADE FROM THE BEST COPY AVAILABLE.